Inlead

Problem

- **communication outside of management system**

- **integrate emails into management**
- **don't want to archive everything**
- **as little work as possible**

Solution

What it does

- **node properties original mail (FWD)**
- **Checks for doubles**
- **checks if sender has rights to post**

Edit mailbox | Drupal   Gmail - Mailarchiver: mailthreader on d...   Drupalcon registration | Drupalc...

Please help us!
I attached the Excel file for the upload data of accommodation.
Gabor and me harmonize the fields to the registration.

So details on what to do Kati:

- fill in all the data fields in the excel table, different room options at the same place are in columns
- the map iframe HTML code is available from map you created on google maps with "link to this page", just copy it over
- if you have images of the places that would be great, then just add the names of the files you have at the end of each, and we will upload them once you send them to use in a zip

So in summary, each place should have one line, with different room options in columns, the map HTML code and hopefully image names included.

Thanks,
Gabor

Attachment	Size
Fot__k.zip	528.57 KB
drupalcon-products.xls	57 KB

delete   edit   reply

Drupalcon registration

Submitted by kvantomme on Mon, 05/19/2008 - 18:03.

————— Forwarded message —————
From: Gábor Hojtsy gabor@hojtsy.hu
Date: 2008/5/18
Subject: Re: Drupalcon registration
To: Fogas Katalin congress@congresstravel.hu
Cc: Kuszing János kuszing.janos@netstudio.hu, Kristof Van Tomme
kristof@pronovix.com

Find: registration   ☐ Match case

Gmail Calendar Documents Photos Reader Web more ▼   kvantomme@gmail.com | Settings | Older version | Help | Sign out

Gmail BETA

drupaltown   Search Mail   Search the web   Show search options
                                                      Create a filter

Compose Mail

Inbox (16)
Starred ☆
Chats 💬
Sent Mail
Drafts (3)
All Mail
Spam (22)
Bin

Contacts

▶ ● Kristof Van Tomm
Search, add or invite

▼ Labels
..Drupalconarchi
.Avicor (131)
.bio-hétfő (2)
.drupal consultin
.DrupalCon Szege
.drupalcourse08a
.network-sites (82
.Pronovix (703)
.Transmentix (22)
archived drupal
BelgiumJuly
C:1on1
C:Car
C:Computer
C:Home
C:Office

« Back to Search Results   Report Spam   Delete   More Actions   ▼   ‹ Newer 14 of about 110 Older ›

Mailarchiver: mailthreader on do.drupaltown.org - video ..Drupalconarchive | X

☆ info@drupaltown.org to me   show details 20 May (9 days ago) ↩ Reply ▼

Notification: Mailarchiver saved 'mailthreader on do.drupaltown.org - video' as a new thread.

CLICK on http://do.drupaltown.org/?q=node/87/edit to ASSIGN the thread to a project or otherwise EDIT the THREAD.

Send a REPLY to this message to REMOVE this THREAD and any future messages in this conversation from the archive.

This is an automatic reply from the mailthreader on http://do.drupaltown.org
-Message_ID-f47e030805200053l685078b9i7f5f71afe6b26b5d@mail.gmail.com-Message_ID-

↩ Reply → Forward

🖅 New window

🖨 Print all

✎ Turn on highlighting

Sponsored Links

Find: mailhan   ☐ Match case

# Configuration

Modules needed

- **mailhandler**
- **mailthreader (not yet committed)**
- **mailsave**
- **upload**

- **SMTP**

Twine This   Sabotage Salsa Proje...   Knowledge Managem...   WIFI   Drupal   Edit mailbox | Drupal   play   SuviSoft Oy Ltd.   groups.drupal.org   office improvement   ANCiT

Disable   Cookies   CSS   Forms   Images   Information   Miscellaneous   Outline   Resize   Tools   View Source   Options

Drupal

Edit primary links

Home > Administer > Content management

Mailhandler   List   Add mailbox

kvantomme

- Create content
- My account
- ▽ Administer
  - ▽ Content management
    - Categories
    - Comments
    - Content
    - Content types
    - Mailhandler
    - Post settings
    - RSS publishing
  - ▷ Site building
  - ▷ Site configuration
  - ▷ User management
  - ▷ Logs
  - Help

The mailhandler module allows registered users to create or edit nodes and comments via email. Authentication is usually based on the From: email address. There is also an email filter that can be used to prettify incoming email. Users may post taxonomy terms, teasers, and other node parameters using the Command capability.

[more help...]

Mailbox	Operations		
drupaltown@gmail.com	Retrieve	Edit	Delete
test@pronovix.com	Retrieve	Edit	Delete

Find: mailhan   Next   Previous   Highlight all   Match case

Done

Start   Map1* - FreeMind - Mind...   Mailhandler | Drupal ...   pronovix design   DUG - emails in Drupal - ...   HU   15:06

Drupal

Home > Administer > Content management > Mailhandler

kvantomme

- ▷ Create content
- ○ My account
- ▽ Administer
  - ▽ Content management
    - ○ Categories
    - ○ Comments
    - ○ Content
    - ○ Content types
    - ○ Mailhandler
    - ○ Post settings
    - ○ RSS publishing
  - ▷ Site building
  - ▷ Site configuration
  - ▷ User management
  - ▷ Logs
  - ○ Help
- ○ Log out

Edit mailbox

E-mail address: *

drupaltown@gmail.com

The e-mail address to which users should send their submissions.

Second E-mail address:

Optional. The e-mail address to which modules should send generated content.

Folder:

INBOX

Optional. The folder where the mail is stored. If you want this mailbox to read from a local folder, give the full path. Leave domain, port, name, and pass empty below. Remember to set the folder to readable and writable by the webserver.

POP3 or IMAP Mailbox:

POP3

If you wish to retrieve mail from a POP3 or IMAP mailbox instead of a Folder, select POP3 or IMAP. Also, complete the Mailbox items below.

Mailbox domain:

pop.gmail.com

The domain of the server used to collect mail.

Mailbox port:

995

The port of the mailbox used to collect mail (usually 110 for POP3, 143 for IMAP).

Mailbox username:

drupaltown@gmail.com

This username is used while logging into this mailbox during mail retrieval.

Mailbox password:

****

The password corresponding to the username above. Consider using a non-vital password, since this field is stored without encryption in the database.

Find: mailhan ☐ Match case

Extra commands:

/ssl/novalidate-cert

Optional. In some circumstances you need to issue extra commands to connect to your mail server (e.g. "/notls", "/novalidate-cert" etc.). See documentation for imap_open. Begin the string with a "/", separating each subsequent command with another "/".

Mime preference:

HTML

When a user sends an e-mail containing both HTML and plain text parts, use this part as the node body.

Security:

⦿ Disabled

○ Require password

Disable security if your site does not require a password in the Commands section of incoming e-mails. Note: Security=Enabled and Mime preference=HTML is an unsupported combination.

Send error replies:

⦿ Disabled

○ Enabled

Send helpful replies to all unsuccessful e-mail submissions. Consider disabling when a listserv posts to this mailbox.

From header:

Use this e-mail header to determine the author of the resulting node. Admins usually leave this field blank (thus using the **From** header), but **Sender** is also useful when working with listservs.

Default commands:

```
mailarchiver: 1
promote: 1
status: 1
comment: 2
```

A set of commands which are added to each message. One command per line. See Commands.

Signature separator:

All text after this string will be discarded. A typical value is **"-- "** that is two dashes followed by a blank in an otherwise empty line. Leave blank to include signature text in nodes.

☐ Delete messages after they are processed?

Uncheck this box to leave read messages in the mailbox. They will not be processed again unless they become marked as unread.

Find: mailhan   ☐ Match case

comment: 2

A set of commands which are added to each message. One command per line. See *Commands*.

Signature separator:

All text after this string will be discarded. A typical value is "-- " that is two dashes followed by a blank in an otherwise empty line. Leave blank to include signature text in nodes.

☐ Delete messages after they are processed?

Uncheck this box to leave read messages in the mailbox. They will not be processed again unless they become marked as unread.

Cron processing:

⦿ Disabled

○ Enabled

Select disable to temporarily stop cron processing for this mailbox.

▽ Input format

⦿ Filtered HTML

  ○ Web page addresses and e-mail addresses turn into links automatically.

  ○ Allowed HTML tags: <a> <em> <strong> <cite> <code>   <dl> <dt> <dd>

  ○ Lines and paragraphs break automatically.

○ PHP code

  ○ You may post PHP code. You should include <?php ?> tags.

○ Full HTML

  ○ Web page addresses and e-mail addresses turn into links automatically.

  ○ Lines and paragraphs break automatically.

More information about formatting options

Update mailbox

Find: mailhan ☐ Match case

mailsave module

administer mailsave

save attachments ☑ ☑

menu module

administer menu

node module

access content ☑ ☑

administer content types

administer nodes

create mail content ☑ ☑

Access control | Drupal - Mozilla Firefox

File   Edit   View   History   Bookmarks   Tools   Help   del.icio.us

http://localhost/broehaha/?q=admin/user/access#module-upload

committed

Twine This   Sabotage Salsa Proje...   Knowledge Managem...   WIFI   Drupal   Edit mailbox | Drupal   play   SuviSoft Oy Ltd.   groups.drupal.org   office improvement   ANCiT

Disable▾   Cookies▾   CSS▾   Forms▾   Images▾   Information▾   Miscellaneous▾   Outline▾   Resize▾   Tools▾   View Source▾   Options▾

select different theme

taxonomy module

administer taxonomy

upload module

upload files ☑ ☑

view uploaded files ☑

user module

access user profiles

administer access control

administer users

kvantomme

- Create content
- My account
- Administer
  - Content management
  - Site building
  - Site configuration
    - Administration theme
    - Clean URLs
    - Date and time
    - Error reporting
    - File system
    - File uploads
    - Image toolkit
    - Input formats
    - Mailsave
    - Performance
    - Site information
    - Site maintenance
    - SMTP support
  - User management
  - Logs
  - Help
- Log out

Home > Administer > Site configuration

File uploads

▽ General settings

Maximum resolution for uploaded images:

`0` WIDTHxHEIGHT

The maximum allowed image size (e.g. 640x480). Set to 0 for no restriction.

List files by default:

`Yes ▾`

Set whether files attached to nodes are listed or not in the node view by default.

Default permitted file extensions:

`jpg jpeg gif png txt doc xls pdf ppt pps odt ods odp`

Default extensions that users can upload. Separate extensions with a space and do not include the leading dot.

Default maximum file size per upload:

`2` MB

The default maximum file size a user can upload.

Default total file size per user:

`10` MB

The default maximum size of all files a user can have on the site.

Your PHP settings limit the maximum file size per upload to *8 MB*.

▷ Settings for anonymous user

▷ Settings for authenticated user

[Save configuration]   [Reset to defaults]

Drupal

kvantomme

- ▷ Create content
- ○ My account
- ▽ Administer
  - ▷ Content management
  - ▷ Site building
  - ▽ Site configuration
    - ○ Administration theme
    - ○ Clean URLs
    - ○ Date and time
    - ○ Error reporting
    - ○ File system
    - ○ File uploads
    - ○ Image toolkit
    - ○ Input formats
    - ○ Mailsave
    - ○ Performance
    - ○ Site information
    - ○ Site maintenance
    - ○ SMTP support
  - ▷ User management
  - ▷ Logs
  - ○ Help
- ○ Log out

Home > Administer > Site configuration

Mailsave

This page shows all the cleanup plug-ins that are available to mailhandler to carry out pre-processing of messages prior to saving them. These plug-ins are generally of most help when receiving messages that are submitted via a mobile phone multimedia messaging service (MMS) gateway.

If additional modules have been installed that also provide clean up functions then these will not appear in this list. These modules must be enabled separately using the site's module adminstration page.

[more help...]

Providers - IE:
☐ Meteor

Providers - SE:
☐ Tele2
☐ Telia

Providers - UK:
☐ O2
☐ T-Mobile
☐ Vodafone

Providers - US:
☐ Verizon

Providers - ZA:
☐ Vodacom

[Save configuration]   [Reset to defaults]

Find: upload   ☐ Match case

Edit mailbox | Drupal
Gmail - Mailarchiver: mailthread...
Drupalcon registration | Drupalcon Sze...

Gmail   Calendar   Documents   Photos   Reader   Web   more ▼

kvantomme@gmail.com | Settings | Older version | Help | Sign out

Gmail
by Google   BETA

Create a Filter

Hide filter options

Choose search criteria Specify the criteria you'd like to use for determining what to do with a message as it arrives. Use "Test Search" to see which messages would have been filtered using these criteria.

From: [   ]   Has the words: [drupalcon   ]
To: [   ]   Doesn't have: [   ]
Subject: [   ]   ☐ Has attachment

Show current filters   Cancel   Test Search   Next Step ▸

Compose Mail
Back to Search Results   Report Spam   Delete   More Actions

Gmail - Search results - kvantomme@gmail.com - Mozilla Firefox

File   Edit   View   History   Bookmarks   Tools   Help   del.icio.us

Twine This   Sabotage Salsa Proje...   Knowledge Managem...   WIFI   Drupal   Edit mailbox | Drupal   play   SuviSoft Oy Ltd.   groups.drupal.org   office improvement   ANCiT   »

Disable▾ Cookies▾ CSS▾ Forms▾ Images▾ Information▾ Miscellaneous▾ Outline▾ Resize▾ Tools▾ View Source▾ Options▾

Edit mailbox | Drupal
Gmail - Search results - kvantom...
Drupalcon registration | Drupalcon Sze...

Gmail   Calendar   Documents   Photos   Reader   Web   more ▼

kvantomme@gmail.com | Settings | Older version | Help | Sign out

Gmail
by Google   BETA

Create a Filter

Hide filter options

Choose action - Now, select the action you'd like to take on messages that match the criteria you specified.

When a message arrives that matches the search: **drupalcon**, do the following:

☐ **Skip the Inbox**(Archive it)

☐ **Mark as read**

☐ **Star it**

☑ **Apply the label**

☐ **Forward it to:** [

☐ **Delete it**

New Label
Please enter a new label name:
[   ]
OK   Cancel

Show current filters   Cancel   « Back   Create Filter   ☐ Also apply filter to **190 conversations** below.

Compose Mail
Search results for:drupalcon   1 - 20 of about 190 Older ›

Sum up

Sum up

- **capture information**
- **classify threads not messages**
- **use email filters for forwarding**
- **prevent doubles**
- **message on the system has the properties of the original message**

Questions

- Kristof Van Tomme
- kristof@pronovix.com
- +36 30 27 86 199
- www.pronovix.com